



TABLE

ONE

TO-5

POWER AND PRECISION ON YOUR TABLE



TABLEONE TO-5

POWER AND PRECISION ON YOUR TABLE



SERVO TECHNOLOGY

High precision bending with full control.
Fast response. Consistent results.
No oil. No leaks. No unnecessary maintenance.

HIGH PRECISION BALL SCREWS

Accurate movement with no backlash.
Designed for repeatability and long-term reliability.

SMALL SIZE. BIG IMPACT

Big machine mindset. Small machine footprint.
Maximum performance in minimal space.



Manual R-axis



400 mm daylight



- CoastOne TC12-2D
- User friendly interface for fast setup



Compact design

TableOne technical data

Technical Data	DIM.	TableOne-5
Press tonnage	kN (US tons)	50 (55)
Motor power	kW	0,6
Max. bending length (D)	mm	350
Distance between side frames	mm	310
Frame width (A)	mm	650
Frame height (B)	mm	1100
Frame depth (C)	mm	830
Throat depth	mm	100
Table height	mm	147
Weight	mm	375
Daylight	mm	400
Y-axis stroke	mm	150
Y-axis repeating accuracy	mm	+/- 0,002
Y-axis max. working speed	mm/s	10
Y-axis return speed	mm/s	50
X-axis speed	mm/s	200
X-axis accuracy	mm	+/- 0,025
X-axis stroke	mm	200
X-axis max. position dimension	mm	200
R-Axis accuracy	mm	Manual
R-axis stroke	mm	90
Control		TC12 2D



COASTONE OY
 TUOTTAJANTIE 27 A 1, 60100 SEINÄJOKI
 FINLAND
WWW.COASTONE.FI

**MADE IN
 FINLAND**